Thermo Scientific Orion Star A321

Premium pH portable meter

The Thermo Scientific[™] Orion[™] Star A321 pH Portable Meter is the top choice for testing samples anywhere. It is rugged and dependable, making it ideal for every sample, every day, everywhere.





The Thermo Scientific Orion Star A321 pH Portable Meter is the top choice for advanced measurements on location. Get the information you need quickly and easily from the large, backlit graphic LCD display. Informative display shows pH/mV/ RmV and temperature along with electrode status, time, date, sample ID, user ID and calibration points.

Features and Benefits

- Easy meter operation assured with on-screen text prompts, menu-specific function keys and a multi-language interface for English, Spanish, French, Italian, German and Chinese
- Don't miss a reading—AUTO-READ[™] locks in the stable reading on your screen, ready indicator alerts when readings are stable and timed reading gathers data in specific time intervals
- Up to 5 point pH calibration with automatic recognition for USA/NIST and DIN buffers or manual option for custom buffer values and calibration editing to fix individual points without a full recalibration

- Non-volatile memory holds up to 5000 data points with time and date stamp
- Easily transfer data and keep meter software up-to-date with the USB and RS232 ports and complimentary Orion Star Com computer software
- Four AA batteries (included) provide over 800 hours of operation or purchase the universal power adapter (sold separately)
- Perfectly portable, waterproof and protected to take anywhere with a IP67-rated housing
- 3 year meter replacement warranty



SCIENTIFIC

Product Specifications

Thermo Scientific Orion Star A321 pH Portable Meter

	Specifications	Part No.
рH		STARA3210
	Range: -2.000 to 20.000	
	Resolution: 0.1, 0.01, 0.001	
	Relative Accuracy: ±0.002	
	Calibration Points: Up to 5	STARA3215
	Calibration Editing: Yes	
mV/RmV	Range: ±2000.0 mV	
	Resolution: 0.1 mV	
	Relative Accuracy: ± 0.2 mV or ± 0.05 % of	
	reading whichever is greater	
	E _H ORP Mode: Yes	
Temperature	Range: -5 to 105 °C, 23 to 221 °F	
	Resolution: 0.1 °C, 0.1 °F	
	Relative Accuracy: ±0.1 °C, ±0.1 °F	
	Offset Calibration: 1 point	
Datalogging	Memory: 5000 with time and date stamp	
	Log Function: Manual, ready	
	(includes AUTO-READ), timed	
Inputs	pH Electrode: BNC, reference pin	
	ATC Probe: 8-pin mini-DIN	
Output	RS232, USB	
Power	AC Adapter: Optional—universal,	
	100-240 VAC	
	Battery Power: Included—4 AAs	Part No.
	Battery Life: 800 hrs	STARA-CS
	•	0



Fox Scientific, Inc. 8221 E FM 917 Alvarado, TX 76009 800-369-5524 sales@foxscientific.com www.foxscientific.com



Thermo Fisher Scientific Water Analysis Instruments Chelmsford, MA USA Quality Management System Registered to ISO 9001

thermoscientific.com/water

© 2013 Thermo Fisher Scientific Inc. All rights reserved. Certified System StandardsMark logo is a trademark of SAI Global. All other trademarks are the property of Thermo Fisher Scientific Inc. & its subsidiaries

Water Analysis Instruments

North America Toll Free: 1-800-225-1480 Tel: 1-978-232-6000 info.water@thermo.com Netherlands Tel: (31) 020-4936270 info.water.uk@thermo.com

China Tel: (86) 21-68654588 wai.asia@thermofisher.com India Tel: (91) 22-4157-8800 wai.asia@thermofisher.com

Singapore Tel: (65) 6778-6876 wai.asia@thermofisher.com



Meter Ordering Information

- USB computer cable

Orion Star A321 pH Portable Meter - Four AA batteries (installed)

- Printed quick start guide and literature CD

Orion Star A321 pH Portable Meter Kit - 8107UWMMD Orion ROSS Ultra Triode gel-filled epoxy-body pH/ATC electrode,

910410-WA Orion pH 4.01 buffer pouches
910710 Orion pH 7.00 buffer pouches
911010 Orion pH 10.01 buffer pouches
810001 Orion ROSS electrode storage

911110 Orion rinse solution pouchesProtective armor with electrode holder and

- Printed guick start guide and literature CD

Description

3 m cable

solution, 475 mL

storage sleeve - Hard-sided field case - Four AA batteries (installed)

- USB computer cable

Accessories Ordering Information

hard-sided field case

soft-sided field case

series meter armor

electrode holder

50/60 Hz

electrode

Orion Star A series portable meter

Orion Star A series portable meter

Orion Star A series portable meter armor with pH electrode holder, conductivity and DO probe holder, stand and adjustable hand-strap

Orion pH electrode holder for portable Star A

Orion ROSS Ultra Triode gel-filled epoxy-body

Orion ROSS Ultra Triode gel-filled epoxy-body

Orion pH electrode storage sleeve for pH

pH/ATC electrode, 3 m cable

pH/ATC electrode, 1 m cable

Universal power adapter, 100-240 V,

Orion pH 4.01 buffer pouches, 10 pack

Orion pH 7.00 buffer pouches, 10 pack

Orion pH 10.01 buffer pouches, 10 pack

Orion pH rinse solution pouches, 10 pack

Orion ORP standard solution, 5 x 60 mL

For more information, contact your local Thermo Scientific products dealer

or call our customer and technical service experts at 1-800-225-1480

(for the US and Canada) or visit www.thermoscientific.com/water.

Orion Triode gel-filled epoxy-body ORP/ATC

Description

1210005

STARA-AR

STARA-ESPH

8107UWMMD

8107BNUMD

1010003

910410-WA

9179BNMD

910710

911010

911110

967961

810017

Japan Tel: (81) 045-453-9175 wai.asia@thermofisher.com

Australia Tel: (613) 9757-4300 in Australia (1300) 735-295 InfoWaterAU@thermofisher.com

